

BUILDING & CONSTRUCTION MATERIALS
| PRODUCTS' PROFILE

| Www.kivolt-lb.com

We, in KIVOLT Team, aim not just to conduct business with our clients but to make win-win situations through adding value by supporting them with our expertise, knowledge and highly technical team. Our products and services are of high quality and high cost efficiency at the same time because we believe that this is the perfect combination in any market and at any level.

The company trades building and construction material that conform with international standards of quality and safety that are manufactured in international factories equipped with high tech robotics, welding machines, CNC machines and an in-house Galvanization facility.

Looking forward for future collaboration.





4			
	MECHANI CLADDING		TION

WATERPROOFING 6

2 TILING

ARCHITECTURAL

3
PLASTERING

ELECTRICAL WORK SUPPLIES


BLOCKWORK

MECHANICAL SUPPLIES

CONCRETE & INSULATION

FIRESTOPPING

Material: Stainless Steel 316L, 304 MECHANICAL CLADDING FIXATION



WIDTH THICKNESS 3 cm 3 mm 3 cm 4 mm



WIDTH THICKNESS 3 cm 3 mm 3 cm 4 mm

OMEGA



WIDTH	THICKNESS	LENGTH
3 cm	5 mm	8 cm



UP & DOWN

WIDTH	THICKNESS
3 cm	2 mm
3 cm	3 mm

For other dimensions... feel free to contact KIVOLT SALES TEAM.





WIDTH	THICKNESS
3 cm	2 mm
3 cm	3 mm




CORRUGATED DOWEL

LENGTH	THICKNESS
12 cm	10, 8, 6 mm
14 cm	10, 8, 6 mm
15 cm	10, 8, 6 mm



EPOXY

300 ml




M10 x 80 mm



STM ANCHOR

M8 x 50 mm



PLASTIC SLEEVE

M15 x 85 mm

TILING



TILE ENDING

HEIGHT

8 mm 10 mm For other dimensions... feel free to contact KIVOLT SALES TEAM.



TILE ADHESIVE


20, 25 kg Bag



TILE GROUT


5 kg

PLASTERING >





WINGS	LENGTH
50 x 50 mm	2.85 m
63 x 63 mm	2.85 m
70 x 70 mm	2.85 m




CORNER MESH

WINGS	LENGTH
50 x 50 mm	2.85 m
63 x 63 mm	2.85 m
70 x 70 mm	2.85 m




PLASTER STOP

DEPTH	LENGTH
10 mm	2.85 m
13 mm	2.85 m
16 mm	2.85 m
19 mm	2.85 m



ARCHITRAVE BEAD

DEPTH	LENGTH
10 mm	2.85 m
13 mm	2.85 m
16 mm	2.85 m
19 mm	2.85 m



CONTROL JOINT


DEPTH	LENGTH
10 mm	3 m
13 mm	3 m
16 mm	3 m
19 mm	3 m



COIL LATH

WIDTH	LENGTH
7 cm	30 m
10 cm	30 m
15 cm	30 m
20 cm	30 m

> PLASTERING ACCESSORIES




SHEET LATH

WIDTH	LENGTH	DENSITY
60 cm	244 cm	1.64 kg/m ²
60cm	244 cm	1.84 kg/m ²



RIB LATH

WIDTH	LENGTH	DENSITY
70 cm	250 cm	1.84 kg/m ²




HY RIB LATH

WIDTH	LENGTH	DENSITY
45 cm	250 cm	3 kg/m ²



FIBERGLASS MESH

WIDTH	LENGTH	DENSITY
1 m	50 m	1.20 kg/m ²





CORRUGATED ANGLE

WIDTH	LENGTH	THICKNESS
2 cm	20 cm	2 mm
3 cm	20 cm	2 mm



BLOCK REINFORCEMENT MESH

WIDTH	LENGTH
7 mm	30 m
10 mm	30 m
15 mm	30 m
20 mm	30 m




TWISTED FISH TAIL






BUTTERFLY TIE



STEEL LINTELS



PARTITION TOP ANCHOR



DEBONDING & RUBBER SLEEVE




HEAD RESTRAINT & ANGLE SUPPORT






CONCRETE & INSULATION



WATERSTOP

WIDTH
15 mm
20 mm
25 mm



EXTRUDED POLYSTYRENE

WIDTH	LENGTH	THICKNESS
60 cm	1.25 M	2, 2.5, 3, 4, 5 cm

WATERPROOFING



LIQUID PU

25 kg Pail




ASPHALT EMULSION

Water & Solvent Based:15 L Pail

ARCHITECTURAL

For other dimensions... feel free to contact KIVOLT SALES TEAM.



RAISED ACCESS FLOORINGS



POLYPROPYLENE PEDESTAL



EXPANSION JOINT SYSTEM



EXPANSION JOINT COVER



IMPACT PROTECTION SYSTEM



HANDRAIL



TRAFFIC SAFETY SYSTEM



WHEEL STOPPER



ELECTRICAL WORK SUPPLIES



CABLE TRAYS

WIDTH	LENGTH	THICKNESS
5 cm	3 m	1.2 mm
10 cm	3 m	1.2 mm
15 cm	3 m	1.2 mm
20 cm	3 m	1.2 mm
25 cm	3 m	1.2 mm
30 cm	3 m	1.2 mm
40 cm	3 m	1.5 mm
45 cm	3 m	1.5 mm
50 cm	3 m	1.5 mm
60 cm	3 m	1.5 mm


> ELECTRICAL WORK SUPPLIES



CABLE TRUNKING



CABLE LADDER



BASKET TRAY



SUPPORT SYSTEM





ACCESSORIES



PVC CONDUITS











ACCESSORIES



FIRESTOPPING SOLLUTIONS



STRIP



PILLOW



SEALANT



COLLAR

CONTACT US

- MOB: +961 3 905 981 TEL: +961 1 84 01 29
- Lebanon Beirut Mazraa Al Rida Bldg. 3rd floor.
- ✓ office@kivolt-lb.com
- ▲ www.kivolt-lb.com